

# **TECHNICAL INFORMATION**





Insulated sole (heat)











#### • LIGHT AND COMFORTABLE TRAINER

• **BE-FLEX FLEXIBLE SOLE** 



8824 BLACK | 35 > 48

### **COMPOSITION**

Upper	PU microfibre			
Lining	3D mesh			
Тое сар	Composite			
Insole	Mesh over PU foam. Removable.			
Anti-puncture sole	Fabric			
Sole	Two-density polyurethane			
Weight size 42*	550 g * Weight per shoe			

**	Coefficient obtained	Flat		Heel	
	size 42	Standard	Parade	Standard	Parade
	SRA Ceramic floor/Nals (soap solution)	0,32	0,49	0,28	0,54
	SRB Steel/Glycerine (oil)	0,18	0,18	0,13	0,15

## **SAFETY TABLE**



PARADE SAS • Route de Chaudron - St-Pierre-Montlimart - 49110 Montrevault-sur-Èvre • Tel. +33(0) 2 41 75 32 37 • Email: contact@parade-protection.com Parade reserves the right to modify the product's manufacturing characteristics. ©Parade, all right reserved. Non-contractual document. Updated 06/2024





# **TECHNICAL INFORMATION**

#### ENVIRONMENTAL FEATURES

At Parade, we carry out a life cycle analysis to measure the environmental impact of each of our models: from the extraction of raw materials, manufacturing, use, logistics, right through to the end of the product's life. Our environmental impact calculators, developed in-house using ADEME's EMPREINTE® database, have been certified by AFNOR for textiles and validated by the Pôle Eco-conception\* for footwear.

\* The Pôle Eco-conception is the French national centre for eco-design and life-cycle performance. Its expertise is recognised nationally and internationally by ADEME, the French Ministry of the Environment, AFNOR, ISO and the UN-environment.





Stitching country: China / Assembly country: China / Finishing country: China



- DRS SYSTEM 2 technology for shock wave dissipation
- BE-FLEX 2.0 technology for a flexible sole and maximum comfort
- VPS SYSTEM technology: supports the arch of the foot